ELSEVIER

Journal of Magnetism and Magnetic Materials 157/158 (1996) xiii–xxiv

Journal of magnetism and magnetic materials

# Contents

Committees x

Preface xi

**Chapter 1. Permanent Magnets and their Applications**

R.H.J. Fastenau and E.J. van Loenen
Applications of rare earth permanent magnets (*Invited paper*) 1

P.G. McCormick, J. Ding, E.H. Feutrill and R. Street
Mechanically alloyed hard magnetic materials (*Invited paper*) 7

H.A. Davies
Nanocrystalline exchange-enhanced hard magnetic alloys (*Invited paper*) 11

A. Handstein, J. Wecker, K. Schnitzke, D. Hinz and L. Schultz
Mechanically alloyed anisotropic Nd–Fe–B powder 15

N. Martinez, L. Ruiz de Angulo and I.R. Harris
Study of the effect of HDDR processing conditions on properties and microstructure of Nd–(Fe,Co,Ga)–B magnetic powders 17

W. Fernengel, A. Lehnert, M. Katter, W. Rodewald and B. Wall
Examination of the degree of alignment in sintered Nd–Fe–B magnets by measurements of the remanent polarizations 19

B. García-Landa, E. Tomey, D. Fruchart, D. Gignoux and R. Skolozdra
Magnetic properties of $RFe_{10.5}Mo_{1.5}$ single crystals (R = Dy, Er) 21

F. von Staa, K.A. Hempel, H. Artz, Y. Wang and J. Schneider
Magnetic properties of anisotropic Nd–Fe–B powder and magnets 23

F. von Staa, K.A. Hempel and H. Artz
On the magnetization processes of Nd–Fe–B powders prepared by HDDR 25

J. Schneider and R. Knehans-Schmidt
Bonded hybrid magnets 27

J.F. Liu and H.A. Davies
Magnetic properties of cobalt substituted $Nd_2Fe_{14}B$/$\alpha$-Fe nanocomposite magnets processed by over-quenching and annealing 29

I. Ahmad, H.A. Davies and R.A. Buckley
The effect of Nd content on the structure and properties of melt spun Nd-rich NdFeB alloys 31

A.G. Popov, D.V. Gynderov and V.V. Stolyarov
Method of formation of a high coercivity state in PrFeBCu alloy 33

W. Kappel, E. Burzo and V. Pop
Magnetic properties of $Nd_2Fe_{14-x}M_xC$ compounds 35

A. Tanguy, D. Binesti, J. Degauque, J. Bras, M. Fagot and A. Chamberod
Vanadium influence in NdFeBAl melt-spun magnets 37

S.J. Newnham, J.P. Jakubovics and A.C. Daykin
Domain structure of thin NdFeB foils 39

W. Grünberger, D. Hinz, D. Schläfer and L. Schultz
Microstructure, texture, and magnetic properties of backward extruded NdFeB ring magnets 41

D. Hinz, S. Wirth, D. Eckert, K. Helming and K.-H. Müller
Determination of biaxial texture and intrinsic magnetic properties of hot rolled NdFeB samples 43

M. Leonowicz, W. Kaszuwara, S. Wojciechowski and H.A. Davies
Irreversible losses of magnetisation in Fe–Nd–B type magnets 45

M. Velicescu, W. Fernengel, W. Rodewald, P. Schrey and B. Wall
High-energy sintered Nd–Dy–Fe–B magnets with Co and Cu additions 47

V.V. Savin, Yr.F. Ternovoy, V.A. Borkovskih, A.V. Nedolya and S.A. Sabanov
Manufacture of gas-atomized powders of Fe–TM–Nd–REM–B alloys and magnets from them 49

V.E. Martín, C.E. Reitlinger, G. Wolf, E. Schubert and H.W. Bergmann
Hard magnetic Nd–Fe–B powders produced by liquid gas atomization 51

0304-8853/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved

M. Matzinger, J. Fidler, A. Fujita and I.R. Harris
Microstructure of solid-HDDR Nd–Fe–B:Zr magnets 54

S. Liesert, P. de Rango, J.L. Soubeyroux, D. Fruchart and R.P. de la Bâthie
Anisotropic and coercive HDDR Nd–Fe–B powders prepared under magnetic field 57

F.M. Ahmed, A. Ataie, A.J. Williams and I.R. Harris
Effect of niobium on the HDDR behaviour of near-stoichiometric NdFeB alloys 59

V. Neu, P. Crespo, R. Schäfer, J. Eckert and L. Schultz
High remanence Nd–Fe–B–X (X = Cu, Si, $Nb_3Cu$, Zr) powders by mechanical alloying 61

H. Fukunaga, H. Ochiai, Y. Kanai, F. Yamashita and T. Yoshimura
Flux stability of a Nd–Fe–B based magnet consolidated from a mixture of isotropic and anisotropic powders 63

K. Turek, J. Chmist and H. Figiel
Compensation of the temperature coefficient of the magnetic flux produced by a Nd–Fe–B magnet in the air gap of a magnetic circuit 65

Yu.G. Pastushenkov, O.B. Dyogteva, A.W. Shipov and K.P. Skokov
Magnetostatic grain interaction and angular dependence of the nucleation field in Fe–Nd–B and $SmCo_5$ permanent magnets 67

G.P. Hatch, A.J. Williams, G.J. Mycock and I.R. Harris
Upset forging of an as-cast Pr–Fe–B–Cu alloy in air 67

Cz. Kapusta
$^{139}$La NMR study of $RE_2Fe_{14}B$ compounds (RE = La,Nd,Y) 71

S. Kramp, M. Febri, P. l'Héritier, P. Ezekwenna and J.C. Joubert
Synthesis of magnetic intermetallics and their interstitial hydrides 73

B. Saje, B. Reinsch, S. Kobe-Beseničar, D. Kolar and I.R. Harris
Nitrogenation of $Sm_2Fe_{17}$ alloy with Ta addition 76

K. O'Donnell, M. Aindow, I.R. Harris, R. Skomski and J.M.D. Coey
Structural imaging of mechanically alloyed remanence-enhanced $Sm_2Fe_{17}N_3/\alpha$-Fe 79

Z. Arnold, M.R. Ibarra, L. Morellon, P.A. Algarabel and J. Kamarád
The effect of pressure on the magnetic phase transitions in $Nd_2(FeTi)_{17}$ and $Nd(FeTi)_{12}$ compounds 81

X.C. Kou, E.H.C.P. Sinnecker and R. Grössinger
Determination of the magnetocrystalline anisotropy of R–T compounds with the easy magnetization direction perpendicular to the *c*-axis 83

M. Solzi, F. Albertini, G. Asti, F. Bolzoni, I. Suberbielle, J.P. Liu and F.R. de Boer
Magnetic phase transitions in interstitial compounds $Er_2Fe_{17}C_x$ 85

L. Pareti, A. Paoluzi, F. Albertini, M.R. Ibarra, L. Morellon and P.A. Algarabel
Magnetocrystalline anisotropy in $RE_2(FeTi)_{17}$, RE = Nd, Y 87

W.C. Chang, S.L. Lu, S.K. Chen and C.H. Yu
Magnetic properties of $Y_2Fe_{17-x}M_xC_y$ compounds (M = Ga, Al and Si) 89

W. Zarek
Influence of Si, Al and C on the crystal structure and magnetic properties of $Sm_2Fe_{17}$ 91

D. Eckert, P.A.P. Wendhausen, B. Gebel, M. Wolf and K.-H. Müller
Comparison of magnetization processes in differently prepared $Sm_2Fe_{17}N_3$ permanent magnets 93

L. Cao, A. Handstein, L. Schultz and K.-H. Müller
Microstructural and magnetic properties of $Sm_2Fe_{15}Ga_2C_2$ permanent magnets 95

K. Kobayashi, D. Givord and J.M.D. Coey
Magnetisation reversal in $Sm_2Fe_{17}N_3$ particles 97

N.M. Dempsey, P.A.P. Wendhausen, B. Gebel, K.-H. Müller and J.M.D. Coey
Improvement of the magnetic properties of HDDR $Sm_2Fe_{17}N_3$ 99

S.A. Sinan, A.C. Neiva and I.R. Harris
Preparation of $Sm_{10.2}Fe_{85.8}Nb_4$ nitride-based permanent magnet by HDDR process 101

M. Febri, P. Ezekwenna, P. Chaudouët, Ph. l'Héritier and J.C. Joubert
A new method of nitrogenation of RE–TM alloys via chemical reaction with sodium azide as an oxygen-free nitrogen source 103

H. Fukunaga, T. Aikawa, S. Nagaoka and Y. Kanai
Improvement in hard magnetic properties of rapidly quenched Sm–Fe–N flakes by Zn-coating 105

Z. Drzazga, A. Winiarska and G. Chelkowska
Magnetocrystalline anisotropy in $DyFe_{12-x}V_x$ intermetallics and their carbides 107

Cz. Kapusta, H. Figiel, J.S. Lord, G.J. Tomka, P.C. Riedi, K.H.J. Buschow, X.C. Kou and G. Wiesinger
NMR study of $SmTM_{12-x}M_x$ (TM = Fe, Co, M = Ti, Mo) 109

L.C.C.M. Nagamine, H.R. Rechenberg, P.A. Algarabel and M.R. Ibarra
Competing anisotropies in $(Dy_xEr_{1-x})Fe_{11}Ti$ alloys 111

E. Tomey, M. Bacmann, D. Fruchart, D. Gignoux and J.L. Soubeyroux
Relationship between the structural and magnetic properties of the series $RFe_{10.5}Mo_{1.5}X_x$ with X = H, C, N and $0 \leq x \leq 1$ 113

E. Tomey, M. Bacmann, D. Fruchart, D. Gignoux and J.L. Soubeyroux
Structural and magnetic properties of $RFe_{10.5}Mo_{1.5}N_x$ compounds (R = rare earth) 115

K.-H. Müller, J.B. Dunlop, A. Handstein, B. Gebel and P.A.P. Wendhausen
Permanent magnet properties of $Sm_3(Fe_{0.93}Ti_{0.07})_{29}X_y$ (X = C or N) 117

V.A. Yartys, O. Gutfleisch and I.R. Harris
Hydrogen-induced phase and magnetic transformations in $Nd_{1.1}Fe_4B_4$ 119

B. García-Landa, R. Skolozdra, D. Fruchart, D. Gignoux and J.L. Soubeyroux
Magnetic and structural properties of new interstitial $RCo_9Si_2C_x$ compounds (R = Y, Nd, Sm) 121

P. Hernández, C. de Francisco, J.M. Muñoz, J. Iñiguez, L. Torres and M. Zazo
Influence of sintering atmosphere on the magnetic after-effect in strontium ferrites 123

J. Dufour, R. Latorre, E.M. Alcalá, C. Negro, A. Formoso and F. López-Mateos
Synthesis of M-type hexaferrites from steel pickling liquors (ID 109) 125

C. Burkhardt, F. Dimc and I.R. Harris
A new method for in-situ magnetisation measurements during hydrogenation of RE–Fe–B type materials 127

C.-M. Lee and C.-R. Chang
Energy product for nanostructured two-phase magnets 129

B.J. Chalmers
Developments in electrical machines using permanent magnets 131

**Chapter 2. Amorphous and Nanocrystalline Magnetic Materials**

G. Herzer
Nanocrystalline soft magnetic materials (*Invited paper*) 133

L.V. Panina and K. Mohri
Effect of magnetic structure on giant magneto-impedance in Co-rich amorphous alloys (*Invited paper*) 137

M. Tejedor, B. Hernando, M.L. Sánchez and A. García-Arribas
Influence of induced anisotropy on magneto-impedance in Co-rich metallic glasses 141

A. Zhukov, C. Gómez-Polo, P. Crespo and M. Vázquez
Axial and transverse magnetization processes of glass-coated amorphous microwires 143

S. Atalay, P.T. Squire, D. Atkinson and S.N. Hogsdon
Magnetoelastic properties of annealed $Co_{72.5}Si_{12.5}B_{15}$ amorphous wires 145

A. Ślawska-Waniewska, R. Żuberek and P. Nowicki
Saturation magnetostriction of FeZrB(Cu) nanocrystalline alloys 147

L. Driouch, R. Krishnan and J. Voiron
High field magnetisation studies in amorphous Co–Dy–B alloys 149

L. Kraus, V. Hašlar, O. Heczko and K. Závěta
Creep-induced magnetic anisotropy and magnetostriction in partly nanocrystalline $Fe_{74}Nb_3Cu_1Si_{13}B_9$ alloy 151

J. Bernardi, A. Hütten and G. Thomas
Electron microscopy of giant magnetoresistive granular Au–Co alloys 153

D. Atkinson and P. Duhaj
Magnetoelastic behaviour of amorphous bimetallic ribbons 156

D. Fiorani, F. Malizia, F. Ronconi and M. Vittori Antisari
Magnetic properties of partially crystallized $Fe_{80}B_{20}$ amorphous alloys 159

I. Mihalca, A. Ercuta, I. Zaharie, A. Jianu, V. Kuncser and G. Filoti
Annealing effects in amorphous $Fe_{77}Gd_3B_{20}$ ribbons 161

E. Culea, A. Pop and I. Cosma
Magnetic behaviour of $x Gd_2O_3 \cdot (1-x)Na_2O \cdot 2B_2O_3$ glasses 163

I. Ardelean, O. Cozar, V. Simon and S. Filip
Magnetic properties of $x Cr_2O_3 \cdot (1-x)[Bi_2O_3 \cdot PbO]$ glasses 165

K. Brzózka, M. Gawroński and K. Jezuita
Influence of chemical disorder on the critical behaviour of FeNi-based amorphous ferromagnets 167

N.H. Duc and D. Givord
Exchange interactions in amorphous Gd–Co alloys 169

P. Vavassori, L. Callegaro, E. Puppin, F. Malizia and F. Ronconi
Surface magnetic characterization of FeB amorphous ribbons 171

G. Ravach, J. Teillet, A. Fnidiki, J.M. Le Breton, L. Driouch and N. Hassanain
Structural changes in Fe–RE–B amorphous ribbons: a Mössbauer study 173

P. Vojtaník, J. Kravčák and R. Varga
Complex permeability after-effects in an annealed Co-based amorphous alloy 175

M. Rodríguez, A. García, C. Aroca, P. Sánchez, E. López and M.C. Sánchez
Magnetic behavior of amorphous ribbons with induced helical anisotropy 177

M. Tejedor, J.A. García and J. Carrizo
Torque measurements of anisotropy in $Co_{66}Si_{15}B_{14}Fe_4Ni_1$ amorphous ribbons 179

I.B. Kekalo, O.Yu. Nemova and V.E. Taranitchev
Piezomagnetic coefficients of amorphous alloys with low magnetostriction 181

J.P. Sinnecker, R. Sato Turtelli, G. Badurek and R. Grössinger
Time evolution study of the domain structure in amorphous $Fe_{64}Co_{21}B_{15}$ and $Co_{77}B_{23}$ using dynamic 3D-neutron depolarization 183

D. Aliaga-Guerra, S. Gama and A.P. Guimarães
$^{57}Fe$ NMR study of nitrided $Ce_2Fe_{17}$ 186

P. Butvin, G. Vlasák, B. Butvinová and P. Švec
Magnetic polarization and magnetostriction in nearly saturated FeNbCuSiB alloys 189

X. Batlle, M. García del Muro, A. Labarta and P. Görnert
Magnetic relaxation and superparamagnetism in nanocrystalline ferrites 191

V. Hong Duong, R. Grössinger, R. Sato Turtelli and Ch. Polak
The magnetic behaviour of nanocrystalline $Fe_{76.5-x}Cu_1Nb_xSi_{13.5}B_9$ 193

L. Małkiński and A. Ślawska-Waniewska
Barkhausen jumps in FeCrCuNbSiB nanocrystalline alloy 195

J. Kováč, O. Duša, M. Konč, T. Švec and P. Sovák
Temperature behaviour of magnetization of $Fe_{74-x}Cr_xNb_3Cu_1Si_{13}B_9$ amorphous and nanocrystalline alloys 197

Z. Kaczkowski, G. Vlasák and P. Duhaj
Elasticity moduli dependences on the magnetic field of $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ strips annealed in the range from 300 to 600°C 199

Z. Kaczkowski and P. Ruuskanen
Magnetostriction hysteresis loops of annealed $Fe_{73.5}Cu_1Nb_3Si_{15.5}B_7$ metallic glass strips 201

P. Gorria, I. Orúe, M.L. Fernández-Gubieda, F. Plazaola, N. Zabala and J.M. Barandiarán
Stress and annealing induced changes in the Curie temperature of amorphous and nanocrystalline FeZr and FeNb based alloys 203

J. Füzer, P. Matta, P. Kollár, P. Sovák and M. Konč
The influence of chromium content on the structure and magnetic properties of nanocrystalline $Fe_{74-x}Cr_xCu_1Nb_3Si_{13}B_9$ alloys 205

W. Gawior, M. Woch, R. Kolano and N. Wójcik
The structure and magnetic properties of $Fe_{82.5-x}Cu_1Nb_3Si_{13.5}B_x$ alloys 207

M. Müller, N. Mattern and U. Kühn
Correlation between magnetic and structural properties of nanocrystalline soft magnetic alloys 209

T. Sato, Y. Sato, M. Fujikura and Y. Haga
Magnetic properties of Fe-based amorphous/nanocrystalline alloy bilayer ribbons 211

P. Kollár, J. Füzer, P. Matta, T. Švec and M. Konč
Magnetic properties of $Fe_{73.5}Cu_1Nb_{3-x}U_xSi_{13.5}B_9$ ($x = 1, 2, 3$) nanocrystalline alloys 213

M. Febri, B. Chenevier and J.C. Joubert
Synthesis of soft ferromagnetic nanocomposites by controlled diffusion-segregation in $Nd_2(Fe,Co)_{14}B$ 215

V. Basso, G. Bertotti, P. Duhaj, E. Ferrara, V. Haslar, L. Kraus, J. Pokorny and K. Zaveta
Microstructural and magnetic investigation of partially crystallized amorphous ribbons 217

M. Wójcik, E. Jędryka, S. Nadolski, T. Stobiecki and M. Czapkiewicz
NMR study in amorphous CoZr thin film alloys 220

G. Suran, H. Niedoba, M. Naili, O. Acher, V. Meyer, C. Boscher and G. Perrin
Magnetic properties of CoFeZr amorphous thin films 223

M. Seqqat, M. Nogues, O. Crisan, V. Kuncser, L. Cristea, A. Jianu, G. Filoti, J.L. Dormann, D. Sayah and M. Godinho
Magnetic properties of $Fe_{100-x}Sm_x$ thin films and $Fe_{80-x}Sm_xB_{20}$ thin films and ribbons 225

H. Chiriac, T.A. Óvári and Gh. Pop
Magnetic behavior of glass-covered amorphous wires 227

H. Chiriac, E. Hristoforou, M. Neagu, I. Darie and F. Barariu
Dependence of the sound velocity in $Fe_{77.5}Si_{7.5}B_{15}$ amorphous wires on the magnetic bias field 229

M. Pekala and D. Oleszak
Magnetic properties and structure of mechanically synthesized $Fe_{25}Al_{75}$ alloys 231

Y.G. Yoo, W.T. Kim, S.C. Yu and Y.D. Kim
Temperature dependence of magnetization in nanocrystalline Cu–Fe–Co alloys 233

C. Kuhrt
Magnetic properties of nanocrystalline mechanically alloyed Fe–TM–C powder (TM = Ta, Hf, W, Mo, Nb, Zr, and Ti) 235

S.-C. Yu, S.-M. Han, K.-Y. Kim and T.-H. Noh
Spin wave excitation on amorphous $Co_{80+x}TM_{12}B_{8-x}$ alloys 237

I. Ardelean, M. Peteanu, S. Filip and D. Alexandru
The valence states and magnetic interactions between manganese ions in $TeO_2$–PbO–$B_2O_3$ glasses 239

B. Idzikowski
Mean field theory analysis of magnetization in amorphous Tb–Co–B alloys 241

E.A. Gan'shina, V.S. Guschin and S.A. Kirov
Magneto-optical properties and electronic structure of Fe–Co–Si–B alloys 243

**Chapter 3. Magnetic Thin Films, Multilayers, Surfaces and Fine Particles**

D. Givord, O.F.K. McGrath, C. Meyer and J. Rothman
Interface magnetic anisotropy (*Invited paper*) 245

R.W. Chantrell, G.N. Coverdale, M. El Hilo and K. O'Grady
Modelling of interaction effects in fine particle systems (*Invited paper*) 250

G. Zangari, P. Bucher, N. Lecis, P.L. Cavallotti, L. Callegaro and E. Puppin
Magnetic properties of electroplated Co–Pt films 256

A. Lisfi, M. Guyot, R. Krishnan, M. Porte, P. Rougier and V. Cagan
Microstructure and magnetic properties of spinel and hexagonal ferrimagnetic films prepared by pulsed laser deposition 258

A. Seffar, J. Fontcuberta, B. Martínez, J.L. García-Muñoz, S. Piñol and X. Obradors
Giant magnetoresistance in ceramic perovskites La–L–Ca–MnO (L = Y,Gd) 260

Y. Kurihara, H. Osawa, Y. Okamoto, H. Muraoka and Y. Nakamura
Performance of PRML systems in perpendicular magnetic recording by a bi-layered main-pole head 262

W.A. Kaczmarek
Structural and magnetic properties of cobalt-doped iron oxide particles prepared by novel mechanochemical method 264

F. Luis, J. Bartolomé, J. Tejada and E. Martínez
AC susceptibility study of the magnetic relaxation phenomena in $CrO_2$ digital compact cassette magnetic tapes 266

C. Sürig, K.A. Hempel and Ch. Sauer
Influence of stoichiometry on hexaferrite structure 268

G. Bottoni
Time-dependent magnetic behaviour and magnetization switching of magnetic recording particles 270

J.L. García, A. López, F.J. Lázaro, C. Martínez and A. Corma
Iron oxide particles in large pore zeolites 272

S. Vilain, J. Ebothe and M. Troyon
Surface roughness and composition effects on the magnetic properties of electrodeposited Ni–Co alloys 274

M.M.P. de Azevedo, V.S. Amaral, J.B. Sousa and P.P. Freitas
Temperature dependence of the electrical resistivity and magnetoresistance of $Co/Au_{1-x}Cu_x$ multilayers 276

S.B. Ubizskii, A.O. Matkowskii and M. Kuzma
Irradiation-induced effects in yttrium–iron garnet films 279

F. Schreiber, J. Pflaum, Z. Frait, J. Heise and J. Pelzl
Ferromagnetic resonance study of the $Fe_xCo_{1-x}$ alloy system 281

J. Pištora, D. Ciprian, R. Kantor, K. Postava and J. Sobota
Dark mode spectroscopy of magnetic thin films 283

V.O. Vas'kovskij and A.V. Svalov
Asymmetry of the spin-valve effect in FeNi/Cu/FeNi/FeMn films 285

S. De Rossi, A. Tagliaferri and F. Ciccacci
Spin polarization of Ag/Fe(100) quantum well empty states 287

G. Perrin, O. Acher, J.C. Peuzin and N. Vukadinovic
Sum rules for gyromagnetic permeability of ferromagnetic thin films: theoretical and experimental results 289

L. Ranno, M. Viret, F. Valentin, J. McCauley and J.M.D. Coey
Transport and magnetic properties of $A^{3+}_{1-x}B^{2+}_xMnO_3$ (A = La, Y or Nd, B = Ca, Sr or Ba) magnetic perovskites 291

E. Shipil' and A. Pogorily
Magnetic anisotropy in amorphous and multilayered Tb–Fe films 293

R. Gerber, T. Reid, R. Atkinson, P. Papakonstantinou, J. Šimšová, M. Čerňanský, R. Gemperle, K. Jurek and V. Studnička
Structural and magnetic properties of $BaCo_xTi_y$-$Fe_{12-x-y}O_{19}$ films 295

V.E. Zubov, A.D. Kudakov and A.I. Maslov
Magneto-optical investigation of the spatial magnetization distribution in a two-layer MIG head 297

S.A. Mulenko and A.N. Pogorelyi
Deposition of thin magnetic films from organometallic composition under the action of laser radiation 299

V. Kamberský, P. de Haan, J. Šimšová, S. Porthun, R. Gemperle and J.C. Lodder
Domain wall theory and exchange stiffness in Co/Pd multilayers 301

Yu.I. Gorobets, A.N. Kuchko and I.G. Salkov
Modification of surface structure in the magnetic film–magnetic tip system of a scanning tunneling microscope 303

R.M. Grechishkin, M.Yu. Goosev, S.E. Ilyashenko and N.S. Neustroev
High-resolution sensitive magneto-optic ferrite–garnet films with planar anisotropy 305

I.L. Lyubchanskii
Theory of optical second harmonic generation in magnetic films with domain structure 307

V.G. Kleparski, M. Kisielewski and A. Maziewski
Domain formation in polycrystalline garnet films 309

J. Buršík, Z. Šimša, L. Štichauer and R. Tesař
Magneto-optical properties of Co- and Ti-substituted hexagonal ferrite films prepared by the sol–gel method 311

S. Pizzini, A. Fontaine, F. Baudelet, J.F. Bobo and M. Piecuch
Spin-polarisation of copper in Co/Cu and Fe/Cu multilayers 313

M. Kisielewski, A. Maziewski, A. Stupakiewicz, G. Vértesy and M. Królikowski
Observation of the magnetic aftereffect in $(YSmCa)_3(FeGe)_5O_{12}$ films 315

J. Tappert, F. Klose, Ch. Rehm, W.S. Kim, R.A. Brand, H. Maletta and W. Keune
The magnetic texture of Tb/Fe multilayers 317

P. Allia, F. Ghigo, M. Knobel, P. Tiberto and F. Vinai
Grain size distribution in granular $Cu_{100-x}Co_x$ through anhysteretic magnetisation curve analysis 319

I. Gościańska, H. Ratajczak, P. Sovák, P. Matta and M. Končˇ
Magnetic thin films of Fe–(Cu–U)–Si–B alloy 321

M. Kučera, P. Beránková, K. Nitsch and M. Matyáš, Jr
Low-temperature Faraday effect in charge-uncompensated garnet Ca:YIG 323

R. Chandrasekhar and D.J. Mapps
Preparation and characterisation of sandwich type barium hexa-ferrite thin films 326

C. Favieres, M.C. Sánchez, E. López, P. Sánchez and C. Aroca
Influence of substrate geometry on the magnetic properties of CoP cylindrical multilayers 329

**Chapter 4. Basic Problems of Magnetization Processes**

T. Schrefl and J. Fidler
Numerical micromagnetics for granular magnetic materials (*Invited paper*) 331

J. Richter, C. Gros, S.E. Krüger and W. Wenzel
Numerical versus exact results for coupled magnetic spin 1/2 layers 336

D. Plusa and B. Wyslocki
Magnetization reversal processes in sintered Nd–Fe–B–Nb magnets 338

V.Yu. Golyshev and A.F. Popkov
Quantum coherence and macroscopic spin tunneling in a weakly ferromagnetic fine particle 340

T. Asada, N. Hamada, T. Oguchi, K. Terakura and T. Hoshino
First principles calculation of $c/a$ for first kind antiferromagnets 343

C. Morón and M. Mora
Temperature dependence of domain growth kinetics in two dimensions 345

C. Michelakis, G. Litsardakis and D. Samaras
A contribution to 2D vector Preisach modelling 347

P.E. Brommer
Magnetic phase diagrams for three coupled magnetic moments 349

R. Ribas and A. Labarta
Monte Carlo simulation of magnetic relaxation in small-particle systems with dipolar interactions 351

A. Magni, C. Beatrice, G. Durin and G. Bertotti
Stochastic approach to domain wall dynamics and ferromagnetic hysteresis 353

L. Půst, G. Bertotti, I. Tomáš and G. Vértesy
Coercivity and domain wall pinning in nonuniform local magnetic fields 355

A. Stankiewicz, B.A. Ivanov and A. Maziewski
Domain structure changes in a large pulse in-plane field 357

T. Nurgaliev
NMR effect on domain wall resonance susceptibility in ferromagnetic materials 359

P.L. Fulmek and H. Hauser
Magnetization calculations of (110)[001] FeSi sheets in different directions by statistical domain behaviour 361

J.M. González, R. Ramírez, R. Smirnov-Rueda and J. González
Modelling the time dependence of the magnetization in a system with many degrees of freedom 363

M. Esguerra
Computation of minor hysteresis loops from measured major loops 366

K. Elk
The transverse susceptibility of textured polycrystals 369

G. Turilli and G. Asti
Model for initial susceptibility as a function of temperature in the presence of spin reorientation transitions 371

A.S. Lileev, A.G. Ayuyan, W. Steiner and M. Reissner
Low-temperature magnetization reversal processes in permanent magnets based on $R_2T_{14}B$ 373

N.P. Suponev, R.M. Grechishkin, M.B. Lyakhova and Yu.E. Pushkar
Angular dependence of coercive field in (Sm,Zr)(Co, Cu,Fe)$_z$ alloys 376

J. Maia Alves and A.M. Vallêra
Magnetic effects in transverse elastic constants of bcc Fe(Si) 378

J. Kamarád, M.R. Ibarra, L. Morellon, P.A. Algarabel and Z. Arnold
Volume dependence of magnetic ordering temperatures of $R_3(FeTi)_{29}$ (R = Pr, Nd, Gd and Tb) compounds 381

M. Valeanu, N. Plugaru, A. Galateanu, E. Burzo and J. Laforest
Magnetic study of $R_3Fe_{29-x}M_x$, with R = Y,Gd and M = V,Ti 381

D.P. Middleton and K.H.J. Buschow
Note on the formation and magnetic properties of $TbFe_{12-x}Ga_x$ ($x = 6.7$) 385

S.A. Nikitin, T.I. Ivanova, I.G. Makhro and Yu.A. Tskhadadze
Itinerant magnetism of $Gd_xLa_{1-x}MSi$ (M = Fe, Co) compounds 387

A. Garnier, D. Gignoux, D. Schmitt and T. Shigeoka
Comparative study of the complex magnetic properties of $RRu_2X_2$ (R = rare earth; X = Si, Ge) 389

A.I. Smirnov and I.N. Khlyustikov
Electric field governed magnetic susceptibility and $M$–$E$ hysteresis in antiferromagnetic $Gd_2CuO_4$ 391

H. Štěpánková, J. Englich, M. Nejezchleba, J. Kohout and H. Lütgemeier
$^{57}$Fe NMR study of magnetization processes in barium hexaferrites 393

E. Brück, R.R. Arons, K.H.J. Buschow and F.R. de Boer
Magnetic properties and structure of MnPtAl 395

N. Tang, Z.G. Zhao, K.H.J. Buschow and F.R. de Boer
The dysprosium–transition-metal interaction in $Dy(Co,Ni)_{10}Si_2$ compounds 397

Q.A. Li, N. Tang, Z.G. Zhao, K.H.J. Buschow and F.R. de Boer
High-field magnetization of $RCo_{10}Si_2$-type of compounds (R = Y, Dy, Ho, Er, Tm) 399

N.V. Baranov, P.E. Markin, S.V. Zemlyanski, H. Michor and G. Hilscher
Giant magnetoresistance in antiferromagnetically ordered FeRh and $Mn_2Sb$ based alloys 401

C. Marquina, N.-T.H. Kim-Ngan, K.H.J. Buschow, J.J.M. Franse and M.R. Ibarra
Specific heat of $Gd_2Zn_{17}$ and $Yb_2Zn_{17}$ intermetallic compounds 403

E. Talik, T. Mydlarz and A. Gilewski
Magnetization of $Er_3Ni$ single crystals 405

N.-T.H. Kim-Ngan, R.J. Radwański, F.E. Kayzel and J.J.M. Franse
High-field magnetization studies of $NdNi_5$ 407

F.E. Kayzel, J.J.M. Franse, J.H.P. Colpa, N.-H. Kim-Ngan, L.T. Tai, R.J. Radwański and D. Gignoux
High-field magnetization and specific heat of $TmNi_5$ 409

S. Giri, K. Ghoshray, A. Ghoshray and N. Chatterjee
Magnetic susceptibility of $KMFeF_6$ ($M = Co^{2+}, Mn^{2+}$) systems 411

J. Marzec, J. Przewoźnik, J. Żukrowski and K. Krop
Magnetism of hexagonal $RMn_2$: $^{57}$Fe Mössbauer studies 413

A. Kozłowski, P. Metcalf, Z. Kąkol and J.M. Honig
Electrical transport and magnetization measurements of $Fe_{3-z}Al_zO_4$, $z < 0.06$ 415

B. Siberchicot, T. Mallah and M. Verdaguer
Theoretical study of high-$T_C$ molecular-based cyanide magnets 417

V.V. Dobrovitski and A.K. Zvezdin
Quantum tunnelling of the domain wall in a weak ferromagnet 419

O. Derzhko, T. Krokhmalskii and T. Verkholyak
Thermodynamical properties of a random spin-1/2 $XY$ chain with Dzyaloshinskii–Moriya interactions 421

**Chapter 5. Soft Magnetic Materials, Materials for Electrical Applications, Magnetic Sensors and Devices**

P. Ripka
Noise and stability of magnetic sensors (*Invited paper*) 424

F. Fiorillo
Advances in Fe–Si properties and their interpretation (*Invited paper*) 428

P. Ciureanu, P. Rudkowski, G. Rudkowska, D. Menard, J.F. Currie, J.O. Ström-Olsen and A. Yelon
The magnetoimpedance effect in rapidly solidified soft magnetic fibers 432

E. Lunedei, G. Matteucci, B.G. Frost and J. Greve
Observation of the stray field of thin film magnetic tips using electron holography 434

E.M. Alcalá, C. Aroca, E. López, M.C. Sánchez and P. Sánchez
A pressure and distance sensor based on magnetic circuits 436

M. Gaugitsch, H. Hauser, F. Haberl and J. Hochreiter
Magneto-optic light modulation for refraction measurements by thin iron films 438

J. Kvitkovič and M. Majoroš
Three-axis cryogenic Hall sensor 440

A. Moldovanu, E.-D. Diaconu, C. Ioan and E. Moldovanu
Magnetometric sensors with improved functional parameters 442

B. Baholo, K. Atallah, P.H. Mellor, D. Howe, M.A. Mueller, T.J. Flack and S. Williamson
Effect of high frequency flux ripple on iron loss in induction machines 444

K. Draxler and R. Styblíková
Use of nanocrystalline materials for current transformer construction 447

J.L. Prieto, C. Aroca, E. López, M.C. Sánchez and P. Sánchez
Spectral estimate of a time variable magnetic field 449

E. Hristoforou, H. Chiriac and M. Neagu
Amorphous magnetic wires used in digitizers based on reflections in delay lines 451

T. Žák, Y. Jirásková, O. Schneeweiss, A. Sólyom and P. Marko
High temperature magnetization of 3.5% Si steel 453

S. Takada, T. Yasuda and T. Sasaki
Magnetizing properties of an oriented Si–Fe sheet core in biased magnetizing states at power frequencies 455

L. Sheiko, A. Moroshkin and S. Gaiduk
The characteristic properties of magnetization processes of 3% Si–Fe sheets in transformer cores 457

K. Eloot, A. De Paepe, J. Dilewijns and C. Standaert
Relation between magnetic properties and changes in dislocation and cell structure due to cold deformation 459

J. Neamtu
Magnetic studies of Ni–Fe thin films prepared by dc sputtering 461

J. Sláma, V. Jančárik and E. Ušák
Contribution to laminar effects in magnetic yokes 463

E. Brando, H. Vincent, J.L. Soubeyroux and P. Wolfers
Magnetic properties, X-ray and neutron diffraction analysis of new M-hexaferrites $BaFe_{12-2x}Ir_xMe_xO_{19}$ (Me = Co, Zn) 465

A. Hasenzagl, H. Pfützner and F. Sachslehner
Stray field energy of domains in soft magnetic material – a quantitative approach 467

M. Maryško and S. Krupička
Calculation of the eddy current loss in a ferrite core 469

**Chapter 6. Magnetic Semiconductors, Magnetic Insulators and Microwave Applications**

R. Marcelli, M. Rossi and P. De Gasperis
Microwave magnetostatic wave coupled resonators 471

G.N. Sever, I.K. Bolnykh and S.Yu. Yuseena
Influence of a magnetic field on the spectral characteristics of the photoelectric effects in $HgCr_2Se_4$ 473

L.I. Koroleva, Ya.A. Kessler, L.N. Lukina, T.V. Virovets and D.S. Filimonov
New magnetic semiconductors $Fe_{1-x}Cr_{2(1-x)}Sn_{2x}S_4$ 475

T. Nurgaliev and S. Miteva
Theoretical investigation of spin and acoustic wave resonances in a layered structure 477

O. Acher, P. Baclet, G. Perrin, O. Roblin and P. Le Gourriérec
Investigation of the microwave permeability of ferromagnetic film laminations under a magnetic field 480

Yu.V. Gulyaev, Yu.F. Ogrin, N.I. Polzikova, F.Yu. Ogrin and P.W. Haycock
Magnetoacoustic echo spectrum of a ferrite–dielectric layered structure 482

V. Eremenko, V. Fomin and V. Kurnosov
Analysis of two-magnon Raman scattering in quasi-one-dimensional chain antiferromagnet $CsMnCl_3 \cdot 2H_2O$ 484

E. Rezlescu, N. Rezlescu, C. Pasnicu and M.L. Craus
Densification by nonmagnetic additives of high frequency lithium–zinc and nickel–zinc ferrites 487

M. Seqqat, G. Nicoara, M. Noguès, J.L. Dormann and D. Sayah
Transition from collinear to canted structures in substituted ferrites 489

F. Bartolomé, J. Bartolomé and J. Blasco
Magnetic order of $Nd^{3+}$ in $NdAlO_3$ 491

J.M. Rojo, J.L. Mesa, L. Lezama, G.E. Barberis and T. Rojo
Magnetic properties of $Co_2(OH)(AsO_4)$ 493

A.A. Mukhin, V.D. Travkin, A.E. Egoyan, S.P. Lebedev, A.S. Prokhorov, A.M. Balbashov and I.Yu. Parsegov
'Gigantic' increase of AFMR frequencies induced by nonmagnetic impurity ions in orthoferrites $RFe_{1-x}Al_xO_3$ (R = Gd,Tb) 496

S. Juszczyk, A. Ratuszna, K. Kaczmarska, G. Małecki, M. Hanson and C. Johansson
Magnetic and structural properties of $Me'_k[Me''(CN)_p]_n \cdot mH_2O$ compounds, where Me' are 3d transition metals 499

**Chapter 7. Magnetic Anisotropy, Magnetostriction and Related Phenomena**

A. Hernando, C. Prados and C. Prieto
Anisotropy, magnetostriction and local chemical order in amorphous $Tb_xFe_{1-x}$ $(0.1 < x < 0.55)$ thin films (*Invited paper*) 501

F.R. de Boer, Z.G. Zhao and K.H.J. Buschow
4f–3d interaction and magnetic anisotropy in $ThMn_{12}$-type rare-earth transition-metal compounds (*Invited paper*) 504

L. Ruiz de Angulo, J.S. Abell and I.R. Harris
Magnetostrictive properties of polymer bonded Terfenol-D 508

S. Brennan, X.-L. Rao, R. Skomski, N. Dempsey and J.M.D. Coey
Magnetic properties of $Sm_2Fe_{17}N_x$, $x = 3.9$ 510

Th. Orth and F. Schreiber
Temperature-dependent conventional and photothermally modulated FMR measurements on $CrO_2$ particulate tapes 512

R. Lorenz and J. Hafner
Magnetic anisotropies of thin fcc Fe-layers on Cu(100) 514

G.H. Shirkoohi
Anisotropic dependence of magnetostriction in electrical steels under applied linear stress 516

S.N. Kane, K. Ruwali, A. Gupta, L. Kraus and V. Hašlar
Creep-induced magnetic anisotropy in amorphous $Fe_{25}Co_{60}B_{15}$ 519

P.A. Algarabel, A. del Moral, R. Krewenka, J.A. Solera and R. Grössinger
Magnetostriction of the $SmCo_5$ hexagonal intermetallic 521

M. Savosta, V. Doroshev and V. Borodin
Magnetic anisotropy of $Er_3Fe_5O_{12}$ 523

G. Lientschnig, H. Leeb and G. Badurek
Rigorous analytic proof of the intrinsic anisotropy in neutron depolarisation 525

P.T. Squire, S.N. Hogsdon and H. Hauser
Domain processes in grain-oriented silicon steel studied by means of $\Delta E$ effect 527

D.R. Cornejo, F.P. Missell and J.M. González
Magnetization reversal on recoil curves in $SmCo_5$ and nanocrystalline SmFeCo 529

J.P. Hayes, H.V. Snelling, A.G.I. Jenner and R.D. Greenough
Thin magnetoelastic films prepared by pulsed TEA $CO_2$ LAD 531

Z. Frait and P. Sturc
Investigation of the magnetoelastic properties of $Fe_{60}Ni_{20}B_{20}$ amorphous alloy by ferromagnetic resonance 533

C. de la Fuente, J.I. Arnaudas, A. del Moral and M. Ciria
Magnetic and magnetoelastic properties of the random anisotropy amorphous magnets $Tb_2(Fe_xNi_{1-x})$ 535

Y. Kawai, V.A.M. Brabers and Z. Šimša
Elastic and magneto-elastic properties of Mn-rich manganese ferrites 537

A. del Moral, J.I. Arnaudas, M. Ciria, M.R. Wells and R.C.C. Ward
Magnetoelasticity of holmium–yttrium superlattices 539

G.V. Kurlyandskaya, T.Ye. Zayarnaya and V.M. Gundyrev
The effect of slight plastic deformation on the formation of induced magnetic anisotropy in Fe–3%Si alloy in the course of thermomechanical treatment above the Curie point 541

J. Gutiérrez, A. García-Arribas, J.S. Garitaonaindia, J.M. Barandiarán and P.T. Squire
$\Delta E$ effect and anisotropy distribution in metallic glasses with oblique easy axis induced by field annealing 543

**Chapter 8. Magnetic Measurement Techniques, Application of Numerical Techniques and Field Calculations, Physics and Technology of Strong Magnetic Field and High Pressure**

U. Hartmann
High-resolution magnetic imaging based on scanning probe techniques (*Invited paper*) 545

G. Kido, K. Takehana, S. Uji, T. Terashima, S. Nimori, S. Ikeda, H. Kitazawa, M. Oshikiri and H. Aoki
High-field studies at the Tsukuba magnet laboratories (*Invited paper*) 550

M.S. Valera, S.L. Tomlinson, G.P. Heydon, A.N. Farley, S.R. Hoon, L. Zhou, S. McVitie and J.N. Chapman
Magnetic force microscopy of soft magnetic materials 555

S.L. Tomlinson, A.N. Farley, S.R. Hoon and M.S. Valera
Interactions between soft magnetic samples and MFM tips 557

G. Asti and M. Solzi
Alternating field gradient susceptometer 559

H. Krenn, H. Enichlmair and J. Sperl
SQUID magnetocalorimetry of disordered and artificially structured magnetic semiconductors 561

K. Yamada, A. Kowata, K. Satoh, H. Koike and K. Yamaguchi
The magneto-optical and -transport studies of magnetic semiconductor EuSe in a high magnetic field up to 30 T 563

B.-O. Moldovanu, C. Moldovanu and A. Moldovanu
Computer simulation of the transient behaviour of a fluxgate magnetometric circuit 565

C. Ioan, A. Moldovanu, C. Macovei and E. Moldovanu
Extension of the frequency range of fluxgate magnetometers 567

A.N. Bazhan
Three coordinate vibrating sample magnetometer 569

F. Melquiond, A. Mouroux, J. Jouglar, P.L. Vuillermoz and H. Weinstock
History dependence of magnetomechanical properties of steel 571

F. Bolzoni, D.S. Schmool and A. Serraj
On the extension of the singular point detection technique towards very high pulsed fields 573

M. Hochhold, H. Leeb and G. Badurek
Tensorial neutron tomography: a first approach 575

H.A. Shute, D.T. Wilton and D.J. Mapps
Approximate spectral response functions for single pole heads 577

U. Außerlechner, P. Kasperkovitz and W. Steiner
Distribution of magnetization in granular samples 579

**Chapter 9. Physics and Applications of Ferrofluids, Molecular Magnetism, Magnetic Polymers and Biomagnetism**

M. Zentková, J. Kováč, A. Zentko, A. Košturiak and A. Hudák
The spin-glass-like behaviour of Ni–xylenol orange complexes 581

A. Orendáčová, M. Orendáč, J. Chomič and A. Feher
The role of hydrogen bonds in the magnetic dimensionality of $CuSO_4(H_2O)_2(C_2H_8N_2)$ and $Cu(C_{10}H_8N_2)_2$-$Ag_2(CN)_4 \cdot H_2O$ 583

I. Mălăescu and I. Hrianca
Relaxation processes of magnetite-based ferrofluids in rf magnetic fields 585

P. Kopčanský, P. Macko, M. Koneracká and V. Závišová
Magneto-dielectric behaviour of concentrated magnetic fluid 587

M. Koneracká, V. Závišová, P. Kopčanský, J. Jadżyn, G. Czechowski and B. Żywucki
Study of the magnetic Fredericksz transition in ferronematics 589

O. Baltag, D. Costandache and C. Cotae
Behaviour of some nonlinear devices with ferrofluids 591

M.J. Azanza and A. del Moral
Isolated neuron amplitude spike decrease under static magnetic fields 593

S.B. Erenburg, N.V. Bausk, V.A. Varnek and L.G. Lavrenova
Influence of the electronic and spatial structure parameters on the spin-transition temperature in unusual chain iron(II) complexes 595

J. Kolovrat and D. Rafaja
Quasi-single crystal alignment of ferro(i)magnetic powder particles with negative cubic anisotropy 597

C. Johansson, M. Hanson and P. Lundqvist
Field-induced anisotropy in a magnetic liquid 599

**Chapter 10. Strongly Correlated Systems, Heavy Fermions, Fluctuating Valence, Kondo Systems and Related Topics**

H. v. Löhneysen
Heavy-fermion alloys at a magnetic instability (*Invited paper*) 601

J.A. Mydosh
Disordered magnetism and spin glasses (*Invited paper*) 606

H. Takeya, K. Kadowaki, K. Hirata, T. Hirano and K. Togano
Growth of $YNi_2B_2C$ single crystals and their superconducting properties 611

F.-W. Schaper, A. Eichler, E. Hallmann and E. Bauer
Pressure dependence of the magnetic order transition in the Kondo lattice compound $CeCu_5$ 613

E. Burzo, V. Pop and I. Costina
Spin fluctuations in the $YNi_{5-x}Cu_x$ system 615

S. Misawa and A. Tate
Fermi liquid description of the anomalous magnetic susceptibility of FeSi 617

Ch. Becker, J. Hafner and R. Lorenz
Local spin-density theory of spin-glasses 619

I. Felner
Itinerant ferromagnetism in the Y–Ni–B–C system 622

J. García Soldevilla, J.I. Espeso, J. Rodríguez-Fernandez, J.C. Gómez Sal, J.A. Blanco, P. Galez and D. Paccard
Magnetic properties of a new series of Nd-based compounds $NdNi_{1-x}Cu_x$ 624

M. Coldea, D. Andreica, M. Bitu and V. Crisan
Spin fluctuations in $YNi_5$ and $CeNi_5$ 627

I.S. Dubenko, S.A. Granovskiy, E. Gratz, R.Z. Levitin, A. Lindbaum and A.S. Markosyan
Enhanced paramagnetic thermal expansion of the intermetallic compounds $Y_6(Mn_{1-x}Fe_x)_{23}$ 629

E. Burzo, V. Pop and R. Ballou
Magnetic properties of $Y_3Co_{11-x}Ni_xB_4$ compounds 631

R. Tetean and E. Burzo
Magnetic properties of $R_3Co_{11}B_4$ compounds 633

N.V. Baranov, V.I. Pushkarski, A.E. Sviderski and H. Sassik
Magnetic properties of liquid quenched $R_3Co$ alloys 635

M. Mihalik, M. Timko, P. Samuely, N. Tomašovičova-Hudákova, P. Szabó and A.A. Menovsky
Magnetic properties and gap formation in FeSi 637

J.H.V.J. Brabers, C.H. de Groot, K.H.J. Buschow and F.R. de Boer
Susceptibility of $(Gd,La)Mn_2(Ge,Si)_2$ compounds in the magnetically ordered regime 639

C.H. de Groot, K.H.J. Buschow and F.R. de Boer
Re-entrant ferromagnetism in the $ThFe_{3-x}Al_x$ system 641

C.V. Thang, N.P. Thuy, T.D. Hien, J.J.M. Franse, J.H.P. Colpa, P.E. Brommer and E. Brück
Magnetocrystalline anisotropy and exchange interaction of Single Crystalline $RCo_4M$ (R: Y, Gd, Ho; M: Al, B) 643

C.V. Thang, J. Stanek, P.E. Brommer, N.M. Hong, J.J.M. Franse and N.P. Thuy
Magnetocrystalline anisotropy of $Y_{n+1}(Co_{1-x}Fe_x)_{3n+5}B_{2n}$, $n = 2,3$ 645

N. Plugaru, M. Valeanu, D.P. Lazar, D. Matulescu, J. Wang, N. Tang and F.-M. Yang
Magnetic properties of $Y_3Co_{11-x}Fe_xB_4$ compounds 647

W. Perthold, N.M. Hong, H. Michor, G. Hilscher, H. Ido and H. Asano
Specific heat of $RCo_3B_2$ (R = Y, Sm, Gd, Dy, Lu) 649

J.J. Melero and R. Burriel
Calorimetric study of the crystal-field and exchange interactions in $NdNi_2$, $TbNi_2$, and $DyNi_2$ 651

S.M. Dubiel, J. Cieślak and F.E. Wagner
Mössbauer-effect study of the influence of vanadium on spin- and charge-density waves of chromium 653

F. Albertini, A. Deriu, D. Negri, A. Paoluzi, L. Pareti, M. Monciardini, G. Calestani, O. Moze and R. Sonntag
Magnetic and Mössbauer study of $(Fe_{1-x}Co_x)_{3.34}Ge_2$ 655

H. Nakamura, H. Takahashi, M. Shiga and E. Gratz
Nuclear magnetic relaxation in $NdCu_2$ 657

V.S. Gaviko, A.V. Korolyov and N.V. Mushnikov
X-ray diffraction investigation of spin reorientation in $SmFe_2$ 659

D. Ko and H. Oesterreicher
Magnetic and electronic properties of specially processed $YBa_2(Cu_{0.95}Ni_{0.05})_3O_y$ 661

Z. Tarnawski, X.Z. Wang, N.-T.H. Kim-Ngan, R.J. Radwański and J.J.M. Franse
Specific heat of $REBaSrCu_3O_7$ compounds (R = Nd, Sm, Dy, Er) 663

Yu.V. Kochetkov, V.N. Nikiforov, S.A. Klestov and A.V. Morozkin
An investigation of the samarium compounds $Sm_1Ru(Rh)_1Ge(Si)_1$ and $Sm_1Ru(Rh)_2Ge(Si)_2$ 665

R. Szymczak, H. Szymczak, M. Baran, R.Z. Levitin and B.V. Mill
Low temperature magnetization of $R_2Cu_2O_5$ single crystals 667

V. Doroshev, V. Krivoruchko, M. Savosta, A. Shestakov and T. Tarasenko
Pressure effect on the Néel temperature in $La_2CuO_4$ 669

Yu.V. Bugoslavsky, V.A. Kovalsky, A.A. Minakov, H. Kojima and I. Tanaka
Orientation of the flux line lattice in anisotropic superconductors 671

N. Rezlescu, R. Anghelache, P.D. Popa and I. Ciobotaru
Vortex melting transition and periodic pinning in high temperature superconductors 673

V.N. Narozhnyi and T.G. Uvarova
Investigation of $Gd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ single crystals. Transition from magnetic superconductor to magnetic insulator 675

G.E. Grechnev, A.S. Panfilov, N.V. Savchenko, I.V. Svechkarev, A. Czopnik and A. Hackemer
Magnetovolume effect in paramagnetic alloys of $CeIn_{3-x}Sn_x$ 677

R. Hauser, T. Ishii, Y. Uwatoko, G. Oomi, E. Bauer and E. Gratz
Thermal expansion of $YbCu_4Ag$ and $YbCu_4Au$ 679

M. Forsthuber, H. Nakamura, M. Shiga and E. Bauer
Nuclear resonance measurements of $CePd_2Ga_3$ and $LaPd_2Ga_3$ 681

A. Guzik, J. Pierre, K. Kaczmarska, B. Lambert-Andron and B. Ouladdiaf
Kondo properties of the new compounds $Ce(Ag_x-Cu_{1-x})_{2-\delta}Sb_2$ 683

J.I. Espeso, J.A. Blanco, M. Reiffers, J. Rodríguez Fernández and J.C. Gómez Sal
New aspects of the magnetic evolution of the $CeNi_{1-x}Pt_x$ system 685

I.D. Shcherba, M.D. Koterlyn, A.P. Kushnir, R.R. Kutjanskyj, V.G. Synjushko, Yu.D. Tsybukh, B.M. Yatsyk and I.I. Margolych
Peculiarities of the valence state of Ce and Yb in $RM_4Al_8$ (R = rare earth; M = Cr, Mn, Fe, Cu) 688

M. Godinho, P. Estrela, A.P. Gonçalves, M. Almeida, J.C. Spirlet and G. Bonfait
Anomalous magnetisation process in $UFe_4Al_8$ probed by magnetisation and magnetoresistance 690

A.P. Gonçalves, M. Almeida, A. Amaro, M. Godinho, J.A. Paixão and J.C. Spirlet
A new magnetic intermetallic compound: $UFe_6Ga_6$ 692

T.D. Cuong, Z. Arnold, J. Kamarád, A.V. Andreev, L. Havela and V. Sechovský
Composition and volume dependence of magnetism in $URu_{1-x}Rh_xAl$ and $URuAl_{1-y}Sn_y$ 694

I. Lupsa, E. Burzo and P. Lucaci
Magnetic behaviour of $U_{1-x}Y_xAl_3$ and $U_{1-x}La_xAl_3$ compounds 696

R.P. Pinto, M.M. Amado, M.E. Braga, M.A. Salgueiro, J.B. Sousa, B. Chevalier, D. Laffargue and J. Étourneau
Transport and magneto-transport properties of $U_2Ni_2Sn$ 698

M. Kučera, P. Beránková, M. Matyáš Jr., V. Sechovský and L. Havela
Polar Kerr effect in UNiGa 700

G.E. Grechnev, A.S. Panfilov, I.V. Svechkarev, D. Kaczorowski, R. Troć and A. Czopnik
Effect of pressure on magnetic properties of $U(Ga_{1-x}Sn_x)_3$ alloys 702

X.-l. Rao, Q.-n. Qi and J.M.D. Coey
Metamagnetic transition in the $ErNi_2B_2C$ superconductor 704

R. Szymczak, H. Szymczak, L. Gladczuk and M. Baran
Anisotropic magnetic and superconducting properties of $ErNi_2B_2C$ single crystals 706

J. Tobola, M. Bacmann, D. Fruchart, S. Kaprzyk, A. Koumina, S. Niziol, J.-L. Soubeyroux, P. Wolfers and R. Zach
Magnetism of $Fe_2P$ investigated by neutron experiments and band structure calculations 708

G.E. Grechnev, A.S. Panfilov and I.V. Svechkarev
Pressure effect on the itinerant magnetism of MnSi and FeSi 711

R. Skomski
Spin-glass permanent magnets 713

R. Spolenak, E. Bauer, H. Müller, H. Kirchmayr, P. Blaha, P. Mohn and K. Schwarz
(Fe,Mn)Si: transitions from a magnetic to a nonmagnetic state and from metallic to semiconducting behaviour 715

T. Hoshino, R. Zeller, P.H. Dederichs and T. Asada
Spin-polarization energies of 3d impurities in metals and alloys 717

G. Chełkowska, H. Ufer, G. Borstel and M. Neumann
Electronic structure investigations of the $Gd(Al_{1-x}M_x)_2$ Laves phase system with M = V, Ti 719

P. Mohn and K. Schwarz
Quasi two-dimensional magnetism in MnGaGe 721

A. Szajek, A. Kowalczyk, J. Baszyński, A. Jezierski and T. Mydlarz
The magnetic properties of the Laves-phase system $Dy(Co_{1-x}Al_x)_2$ 723

L.I. Kurkina and O.V. Farberovich
Magnetic moments and magnetic susceptibility of 3d impurities in small Al particles 725

V.V. Grimalsky and Yu.G. Rapoport
Nonlinear magnetostatic waves in ferrite films in an inhomogeneous magnetic field 727

B.G. Almeida, J.B. Sousa, R. Schad, V.V. Moshchalkov and Y. Bruynseraede
Phonon-assisted sd electron scattering in Fe/Cr multilayers 730

L.A. Prozorova and O.A. Petrenko
AFMR in a quasi-1D noncollinear antiferromagnet $CsMnI_3$ 733

Author index 735

Subject index 753

Materials index 759